

SilverSaver® 1000 **Quick Start Guide**


This Quick Start Guide does not replace the User Manual.

The full-length User Manual is available to download at www.GetSilverSaver.com, and should be read thoroughly to ensure proper use and maximum savings.

- Green numbers are references to pages in the full-length manual that contain further information relevant to the section.
- Red numbers are references to pages in the full-length manual that contain important safety information that must be read prior to proceeding.

1. Charging 1 14 1 15


Charge the control box prior to use.




2. Apply Ramekin Savers 11 11


If you plan to use Ramekin Savers to prevent the loss of your non-metallic ramekins, attach them to the bottom of clean, dry ramekins.








3. Assembly i 5 & 6
















4. Operation i 8














False Alarms

The SilverSaver 1000® has two detection modes — Full Detection Mode and Reduced Detection Mode (RDM).

If foil products are not commonly found in the waste stream, use Full Detection Mode.

If waste foil is causing frequent false alarms, use Reduced Detection Mode (RDM).

Common foil products include:

- Aluminum foil
- Some creamer tops
- Some butter wrappings
- Some bottle labels


Full Detection Mode (Default)

With the unit ON, hold down the Reset button \bigcirc and then press the Volume Up Button \bigcirc . A rising tone and Detection Mode Light (blue) OFF indicates the unit is now in Full Detection Mode.

Reduced Detection Mode (RDM)

With the unit ON, hold down the Reset button (c) and then press the Volume Down Button (–). A falling tone and Detection Mode Light (blue) ON indicates the unit is now in Reduced Detection Mode.

5. Cleaning 12 & 13



6. Preparation For Tomorrow

It is recommended that the battery be charged every night, even though the Low Battery Light (green) may not be flashing.

7. Troubleshooting 16 & 17

